



AERUS

The Healthy Home Experts®



Proven to reduce 99.98% of SARS-CoV-2 virus (the virus that causes COVID-19) on surfaces within 7 hours.

THE TECHNOLOGY

The Aerus Mid-Range Blaster is one of our most powerful ActivePure producing technologies. Patented ActivePure Technology is the most powerful surface and air purification ever discovered. It has been proven to reduce over 99.9% of many common airborne and surface contaminants (list of tested pathogens can be found in “The Proof” section below).

ActivePure does not replace the need to follow CDC guidance and should be used as a complementary technology.

THE PROOF

In extensive independent lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens:

- SARS-CoV-2 – RNA Virus
- H1N1 Influenza
- H5N8 Influenza
- Murine Norovirus
- PhiX-174
- MS2 Bacteriophage
- MRSA
- E. coli
- Salmonella enterica
- Legionella pneumophila
- Clostridium difficile
- Bacillus globigii
- Erwinia herbicola
- Listeria monocytogenes
- Candida auris
- Botrytis cinerea
- Sclerotinia sclerotiorum
- Aspergillus versicolor
- Aspergillus niger endospores
- Methicillin-resistant Staphylococcus epidermis
- Staphylococcus epidermidis

THE BENEFITS

The Aerus Mid-Range Blaster provides continuous surface decontamination and air purification in real time without the use of ozone or other harmful chemicals. It is a proactive and effective solution for your home or business.

- New and improved ActivePure Technology is the most powerful surface decontamination and air purification technology ever discovered
- Provides continuous surface decontamination and air purification in real time
- Over a decade of testing, patented ActivePure® Technology has been proven to reduce over 99.9% of many common airborne and surface contaminants including viruses, bacteria, mold, fungi, VOCs, smoke, allergens, and odors (full list of tested pathogens available in “The Proof” section)
- Quickly and powerfully works to clean the indoor environment





MID-RANGE BLASTER

SPECIFICATIONS

Product Information	00667 Model F203C* This unit does not meet California requirements and cannot be shipped to California.
Technology Included	ActivePure
Electrical	Input Voltage: 120V Power Consumption: 172W
Mechanical	Fuse: 2.25A; 2.0A slowblow Airflow Rate: 300 CFM
Weight & Dimensions	24 lbs (10.9 kg) (unpackaged) 13"W x 22"H x 13"D (33.02 cm x 48.26 cm x 33.02 cm)
Noise Level	57.4 dB(A)
Recommended Maximum Coverage in a Contiguous Space ¹	Up to 3,000 sq. ft. (278m ²) depending on occupant density and other factors ¹ . High density commercial not to exceed 1,500 sq. ft. (139m ²). For coverage in medical or health care environments, contact Medical@activepure.com .
Warranty	Limited 3 Year Warranty



Contact Name: _____



Email: _____



Phone Number: _____

1. Assumes 8 foot ceilings. Solutions should be customized based upon a variety of factors including HVAC system capabilities and settings, air flows taking into account walls, air pressure, and doors, ambient air temperatures and humidities, variable density, known VOC concentrations, other layers of protection, and worst case desired outcomes